

2023

CAMBRIA COMMUNITY SERVICES DISTRICT MAY DIVERSION

Table with 10 columns: Production Wells, WELLS (galx1000), *Raw totals, ALL WELLS TOTAL (galx1000), Daily Pumpage (AF), Month to Date (AF). Rows 1-31 showing daily production data.

TOTALS row: 0.00, 6195.00, 5365.00, 1681.00, 1.00, 0.00, 13242.00, 40.64

Meter Correction Factors from Calibration done. Corrected row: 100%, 100%, 100%, 0.00, 6195.00, 5365.00, 1681.00, 1.00, 0.00, 13242.00, 40.64

Table with 3 columns: Location, GROSS DIVERSION (AF), NET DIVERSION (AF). Rows for San Simeon Total, Santa Rosa Total, SS & SR TOTAL, and Advanced Water Treatment Plant.

Table with 3 columns: Location, NET PRODUCTION (AF), YTD NET PRODUCTION (AF). Rows for San Simeon Total, Santa Rosa Total, and SS & SR TOTAL.

Diversion: Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)

Mitigation Both Creeks (galx1000)

BACKWASH TOTAL

Table with 2 columns: AWTP, Santa Rosa. Rows 1-31 showing mitigation data.

Table with 2 columns: SR3 (galx1,000), SR4 (gal). Rows 1-31 showing backwash data.

(galx1000) (ACRE-FEET) 0.00, 0.00, (galx1000) (ACRE-FEET) 0.00, 18.37, 0.06

ANALYZER METER table with 2 columns: DATE, READ. Rows for 5/1/2023, 5/31/2023, Total Recirc (ccf), Total Recirc (AF).

2023

CAMBRIA COMMUNITY SERVICES DISTRICT JANUARY DIVERSION

Table with columns: Production Wells, DAY OF MONTH, SS #1, SS #2, SS #3, SR4, SR1, SR3*, ALL WELLS TOTAL (galx1000), Daily Pumpage (AF), Month to Date (AF). Rows 1-31.

TOTALS, Daily AVG, AF, Peak summary rows.

Meter Correction Factors from Calibration done. Corrected 100% summary row.

Table with columns: GROSS DIVERSION (AF), NET DIVERSION (AF). Rows: San Simeon Total, Santa Rosa Total, SS & SR TOTAL, Advanced Water Treatment Plant.

Table with columns: NET PRODUCTION (AF), YTD NET PRODUCTION (AF). Rows: San Simeon Total, Santa Rosa Total, SS & SR TOTAL, Advanced Water Treatment Plant.

Mitigation Both Creeks (galx1000)

Table with columns: AWTP, Santa Rosa. Empty rows.

(galx1000) 0.00 0.00 (ACRE-FEET) 0.00 0.00

BACKWASH TOTAL

Table with columns: SR3 (galx1,000), SR4 (gal). Rows 1-31.

(galx1000) 0.00 4.74 (ACRE-FEET) 0.00 0.01

ANALYZER METER table with columns: DATE, READ. Rows: 1/1/2023, 1/31/2023, Total Recirc (ccf), Total Recirc (AF).

Diversion: Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
Production: Total volume delivered to consumers for consumption