

TASK 3 REPORT

Potable Water Distribution System Analysis

FINAL

**Cambria Community
Services District**
Cambria, California

July 2004
K/J 024602.00

Kennedy/Jenks Consultants

Table of Contents

<i>List of Tables</i>	<i>iii</i>
<i>List of Figures</i>	<i>iv</i>
<i>List of Appendices</i>	<i>v</i>
<i>List of Abbreviations</i>	<i>v</i>
<i>Executive Summary</i>	<i>1</i>
Section 1: Introduction	1
1.1 Background	1
1.2 Objectives	2
1.3 Scope of Services	3
1.4 Conduct of the Study.....	3
Section 2: Study Area and Existing Water System	4
2.1 Existing Service Area and Land Use Plans.....	4
2.1.1 Status of Area Land Use Plans	5
2.1.2 Draft Land Use Mapping for Water Master Planning Purposes	5
2.1.3 GIS-Based Development Model and Review of Small Lots.....	8
2.1.4 Multiple Development Scenarios used in Analyses.....	9
2.2 Existing Water Demands.....	13
2.3 Existing Water Sources.....	15
2.4 Existing Distribution System.....	17
Section 3: Water Demand Projections.....	19
3.1 Development of Water Demand	19
3.2 Water Demand Conditions	19
3.3 Average Demands – Existing Conditions	20
3.4 Seasonal Demand Factors.....	21
3.5 Peaking Factors	22
3.6 Future Demands	23
Section 4: Development of the Water System Model.....	25
4.1 Existing Water System	25
4.2 Development of Water System Model.....	26
4.3 Water Demand Scenarios	27
4.4 Water System Model Calibration Approach	28

Table of Contents (cont'd)

Section 5:	Results of Water System Analyses	29
5.1	Evaluation Criteria	29
5.1.1	Pipelines	29
5.1.2	Water Storage Reservoirs	31
5.1.2.1	Operational Storage	32
5.1.2.2	Fire Storage	32
5.1.2.3	Emergency Storage	32
5.1.3	Pump Stations	32
5.2	Critical Conditions for Modeling	33
5.3	Results of Hydraulic Analyses	33
5.3.1	Future, Peak Hour Demand	33
5.3.2	Future, Maximum Day Demand: Simultaneous Residential and Commercial Fire Flows	35
5.3.3	Fire Sprinkler Activation During Future Maximum Day Demand	37
5.3.4	Wildfire Support During Maximum Day Demand	38
5.4	Reservoirs	38
5.5	Pump Stations	39
Section 6:	Recommended Water System Improvements.....	43
6.1	Basis for Evaluation of Recommended Improvements	43
6.2	Basis of Preliminary Cost Estimates	44
6.2.1	Pipelines	45
6.2.2	Reservoirs	45
6.2.3	Pump Stations	46
6.2.4	Pressure Reducing Valves	46
6.2.5	Fire Hydrants	47
6.3	Recommended Pipeline Improvements	47
6.4	Recommended Reservoir Improvements	49
6.5	Recommended Pump Stations Improvements	50
6.6	Recommended Reliability Improvements	50
6.6.1	Pressure Reducing Valves & Sustaining Valves	51
6.6.2	Pipeline Interconnections	52
6.6.3	Emergency Generator Capacity	52
6.7	Recommended Fire Hydrant Spacing	52
6.8	District Facilities Upgrade and Replacement Discussion	52
Section 7:	Recommended Implementation Plan	54
7.1	Considerations for Establishing Implementation Priorities	54
7.2	Implementation Schedule	55

Table of Contents (cont'd)

List of Tables

- 1-1 Summary of District Water Master Planning Tasks
- 2-1 Estimate of Housing Units
- 2-2 Summary of Build out Scenarios
- 2-3 Existing Storage Tanks
- 2-4 Service Elevations of Each Pressure Zone
- 3-1 Determination of Summer and Winter Seasons
- 3-2 Calculation of Summer and Winter Demand Adjustment Factors
- 3-3 Average Water Usage by Month (2001)
- 3-4 Maximum Day and Peak Hour Factors
- 4-1 Pressure Reducing/Pressure Sustaining Valves
- 5-1 Table A-III-A-I of the 2000 Uniform Fire Code
- 5-2 Pressure Distribution During Future Peak Hour Flow
- 5-3 Critical Nodes for Simultaneous Commercial and Residential (3,500 gpm) Fires
- 5-4 Critical Nodes for Simultaneous Commercial and Residential (2,500 gpm) Fires
- 5-5 Summary of Water System Nodes with Low Residual Pressure During Simultaneous Commercial (4,500 gpm) and Residential (2,500 gpm or 3,500 gpm) Fires
- 5-6 Summary of Water System Nodes with Low Residual Pressure During Sprinkler Activation (750 gpm at 50 psi)
- 5-7 Residual Pressures at Potential Safe Havens
- 5-8 Evaluation of Existing Reservoirs
- 5-9 Evaluation of Existing Pump Stations
- 6-1 Pipeline Unit Costs (mid-2002 dollars)
- 6-2 Reservoir Unit Costs (mid-2002 dollars)
- 6-3 Pump Station Unit Costs (mid-2002 dollars)
- 6-4 Pressure Reducing Valves Unit Costs (mid-2002 dollars)
- 6-5 Estimated Capital Cost of Reservoir Improvements
- 6-6 Recommended PRV's and Setting Modifications
- 7-1 Breakdown of cost for Recommended Phasing Plan

Table of Contents (cont'd)

List of Figures

- 2-1 Cambria Neighborhoods
- 2-2 Draft Land Use Map Developed by CCSD for Water Master Planning Purposes
- 2-3 Projected Population and Number of Housing Units
- 2-4 Comparison of Use for Water Purveyors Within Evapotranspiration Zone 1
- 2-5 Groundwater Basins Serving Cambria
- 2-6 Existing Potable Water System Hydraulic Profile
- 4-1 Existing Potable Water System and Pressure Zones
- 4-2 Existing Modeled Nodes
- 4-3 Existing Modeled Pipelines
- 5-1 Existing Fire Flow Demand Assignments
- 5-2 Pressure Distribution During Future Peak Hour Flow
- 5-3 Residual Pressures for Simultaneous Fire Flow Analysis: 3,500 gpm (residential) & 4,500 gpm (commercial) - Future Maximum Day Demand
- 5-4 Residual Pressures for Simultaneous Fire Flow Analysis: 2,500 gpm (residential) & 4,500 gpm (commercial) - Future Maximum Day Demand:
- 6-1 Recommended Pipeline Improvements for Simultaneous Commercial (4,500 gpm) and Residential (3,500 gpm) Fire Flow
- 7-1 Phased Improvement Piping
- 7-2 Existing CCSD Water System, Future Max. Day Demand, Available Flows with Simultaneous Fires 3,500 gpm Residential + 4,500 gpm Commercial
- 7-3 Phase 1A & 1B Improvements, Future Max. Day Demand, Available Flows with Simultaneous Fires 3,500 gpm Residential + 4,500 gpm Commercial
- 7-4 Phase 2 Improvements, Future Max. Day Demand, Available Flows with Simultaneous Fires 3,500 gpm Residential + 4,500 gpm Commercial
- 7-5 Phase 3 Improvements, Future Max. Day Demand, Available Flows with Simultaneous Fires 3,500 gpm Residential + 4,500 gpm Commercial

Table of Contents (cont'd)

List of Appendices

- A Daily Well Production Records: January – December, 2001
- B Summary of Water Demand Data
- C Summary of Existing Pipelines – Length, Diameter, Location
- D Ordinance No. 03-2002: Adoption of 2000 and 2001 editions of the Uniform Fire Code
- E Model Results for Critical Conditions
- F Breakdown of Pressure Reducing Valve, Generator and Fire Hydrant Costs
- G Breakdown of Pipeline Costs for Critical Conditions
- H Breakdown of Phased Pipeline Improvement Schedule

List of Abbreviations

Abbreviations

APN
BPS
CCC
CCSD
Company
DIP
E/W Ranch
ft
GIS
GPC
gpcd
gpm
HCP
LF
MtBE
NCAP
PRV
psi
PVC
RMS
SWRO
UFC

Definitions

Assessors Parcel Number
Booster Pump Station
California Coastal Commission
Cambria Community Services District
Cambria Development Company
Ductile Iron Pipe
East/West Ranch
Feet
Geographic Information System
Geographic Planning Collaborative
Gallons per capita per day
Gallons per minute
Habitat Conservation Plan
Linear feet
Methyl-tert-butyl ether
North Coast Area Plan
Pressure Reducing Valve
Pounds per square inch
Polyvinyl Chloride
Resource Management System
Seawater Reverse Osmosis
Uniform Fire Code