

ADDENDUM NUMBER 1 TO THE BID DOCUMENTS

Amendment Date: **September 20, 2024**

BID DOCUMENT NUMBER 04-2024-10

East Ranch Community Park Restroom Building Installation Project

A. This Addendum shall be considered part of the bid documents for the above-referenced project as though it had been issued at the same time and shall be incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original bid documents, this Addendum shall govern and take precedence. BIDDERS MUST SIGN THE ADDEDNDUM AND SUBMIT IT WITH THEIR BIDS.

B. Bidders are hereby notified that they shall make any necessary adjustments in their estimates as a result of this Addendum. It will be construed that each bidder's proposal is submitted with full knowledge of all modifications and supplemental data specified herein.

Except as described below, the original bid document remains unchanged. The bid documents are modified and/or clarified, as follows:

1. Under Exhibit B – Project Description, the section titled “Additional Notes” add the following bullet point to the list: “The prefabricated restroom building has already been purchased by the Cambria CSD and will be delivered to the site for installation in late January/early February. Do **NOT** include the prefabricated restroom building purchase in the bid.”
2. Under Exhibit B - Project Description, in the section titled “Building Installation” after the sentence “Public Restroom Company will supply the crane and crane operator.” Add the following: “Contractor to remove plastic shrink wrap, remove steel tie-down plates from building slab and install provided pick plates, remove the electrical conduit from the main panel, clear all block out grates, hook up the supplied rigging and install protection from rigging at the fascia, coordinate with the crane operator to lift the building slowly up 1 inch off the trailer to make sure building is secure, check the level of the building and adjust with shackles, then direct the crane operator to place the building on the building pad.”

BIDDER MUST ACKNOWLEDGE THIS ADDENDUM BY SIGNING BELOW AND ATTACHING THE SIGNED ADDENDUM TO THE BID FORM:

Company Name _____

Contact Person _____

Signature _____

Date _____