

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

12/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	30.86	83.42	52.56	
<b>SR4*</b>	<b>CCCD Production</b>	<b>28.14</b>	82.00	<b>53.86</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.07</b>	54.30	<b>35.23</b>	
<b>SR1</b>	<b>CCSD</b>	17.44	46.40	28.96	
21R3	County Parks	6.93	12.88	5.95	Meter Read (CF): 49479
WBE	Windsor Bridge East	10.80	16.87	6.07	
WBW	Windsor Bridge West	11.05	17.02	5.97	

**SR4**                      **53.86**  
AVG SR1 & SR3                      32.10

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	5.89	11.36	5.47	
MW4	Monitoring at Lagoon Entrance	10.27	15.95	5.68	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	10.83	19.11	8.28	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	17.50	27.33	9.83	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	15.38	25.92	10.54	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>17.46</b>	33.73	<b>16.27</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>16.35</b>	33.16	<b>16.70</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 16.35 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>15.24</b>	32.37	<b>17.13</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	14.50	98.20	83.70	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	22.80	55.21	32.41	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	18.18			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **16.70**  
**SS4/9P2 Gradient**                      **2.26**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

12/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	31.06	83.42	52.36	
<b>SR4*</b>	<b>CCCD Production</b>	<b>28.34</b>	82.00	<b>53.66</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.11</b>	54.30	<b>35.19</b>	
<b>SR1</b>	<b>CCSD</b>	17.46	46.40	28.94	
21R3	County Parks	7.79	12.88	5.09	Meter Read (CF): 49479
WBE	Windsor Bridge East	11.57	16.87	5.30	
WBW	Windsor Bridge West	11.94	17.02	5.08	

**SR4**                      **53.66**  
AVG SR1 & SR3                      32.07

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.08	11.36	5.28	
MW4	Monitoring at Lagoon Entrance	10.45	15.95	5.50	
MW1	Monitoring at Blowers	17.22	42.11	24.89	
MW2	Monitoring at Influent	16.04	38.10	22.06	
MW3	Monitoring at Pond Gate	22.33	49.56	27.23	
9M1	Warren's Van Gordon Creek	32.38	65.63	33.25	
9P2	Gradient Monitoring	10.81	19.11	8.30	
9P7	WRF Intake	11.89	20.69	8.80	
9L1	Abandoned Irrigation	17.42	27.33	9.91	
RIW	WRF Injection Well	13.47	25.41	11.94	
<b>SS4</b>	<b>CCCD</b>	15.35	25.92	10.57	
MIW	WRF Injection Monitoring	14.24	29.89	15.65	
<b>SS3*</b>	<b>CCSD Production</b>	<b>17.35</b>	33.73	<b>16.38</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>16.19</b>	33.16	<b>16.86</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 16.19 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>15.03</b>	32.37	<b>17.34</b>	
11B1	Pedotti	20.12	105.43	85.31	
11C1	Pedotti	14.88	98.20	83.32	
PFNW	Palmer Flats	13.33	93.22	79.89	
10A1	Pedotti's Recorder	26.75	78.18	51.43	
10G2	New Rock Plant	19.39	62.95	43.56	
10G1	Old Rock Plant	17.59	59.55	41.96	
10F2	Warren	25.57	66.92	41.35	
10M2	Pedotti	22.84	55.21	32.37	
9J3	Pedotti	16.14	43.45	27.31	
Lagoon	Creek Pedestrian Bridge	18.36			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **16.86**  
**SS4/9P2 Gradient**                      **2.27**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

11/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	31.10	83.42	52.32	
<b>SR4*</b>	<b>CCCD Production</b>	<b>28.70</b>	82.00	<b>53.30</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.21</b>	54.30	<b>35.09</b>	
<b>SR1</b>	<b>CCSD</b>	17.55	46.40	28.85	
21R3	County Parks	7.48	12.88	5.40	Meter Read (CF): 49468
WBE	Windsor Bridge East	11.41	16.87	5.46	
WBW	Windsor Bridge West	11.59	17.02	5.43	

**SR4**                      **53.30**  
AVG SR1 & SR3                      31.97

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.32	11.36	5.04	
MW4	Monitoring at Lagoon Entrance	10.94	15.95	5.01	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	11.98	19.11	7.13	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	20.48	27.33	6.85	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	18.64	25.92	7.28	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>21.73</b>	33.73	<b>12.00</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>21.08</b>	33.16	<b>11.98</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 21.08 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>20.42</b>	32.37	<b>11.95</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	27.72	98.20	70.48	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	29.85	55.21	25.36	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	17.55			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **11.98**  
**SS4/9P2 Gradient**                      **0.15**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

11/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	31.85	83.42	51.57	
<b>SR4*</b>	<b>CCCD Production</b>	<b>28.90</b>	82.00	<b>53.10</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.22</b>	54.30	<b>35.08</b>	
<b>SR1</b>	<b>CCSD</b>	17.54	46.40	28.86	
21R3	County Parks	8.70	12.88	4.18	Meter Read (CF): 49435
WBE	Windsor Bridge East	12.30	16.87	4.57	
WBW	Windsor Bridge West	12.70	17.02	4.32	

**SR4**                      **53.10**  
AVG SR1 & SR3                      31.97

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.90	11.36	4.46	
MW4	Monitoring at Lagoon Entrance	11.35	15.95	4.60	
MW1	Monitoring at Blowers	16.33	42.11	25.78	
MW2	Monitoring at Influent	15.46	38.10	22.64	
MW3	Monitoring at Pond Gate	21.20	49.56	28.36	
9M1	Warren's Van Gordon Creek	39.40	65.63	26.23	
9P2	Gradient Monitoring	11.52	19.11	7.59	
9P7	WRF Intake	11.59	20.69	9.10	
9L1	Abandoned Irrigation	19.08	27.33	8.25	
RIW	WRF Injection Well	15.30	25.41	10.11	
<b>SS4</b>	<b>CCCD</b>	14.72	25.92	11.20	
MIW	WRF Injection Monitoring	17.40	29.89	12.49	
<b>SS3*</b>	<b>CCSD Production</b>	<b>19.94</b>	33.73	<b>13.79</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>19.35</b>	33.16	<b>13.71</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 19.35 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>18.75</b>	32.37	<b>13.62</b>	
11B1	Pedotti	32.70	105.43	72.73	
11C1	Pedotti	26.45	98.20	71.75	
PFNW	Palmer Flats	23.02	93.22	70.20	
10A1	Pedotti's Recorder	31.20	78.18	46.98	
10G2	New Rock Plant	23.11	62.95	39.84	
10G1	Old Rock Plant	21.55	59.55	38.00	
10F2	Warren	29.79	66.92	37.13	
10M2	Pedotti	35.71	55.21	19.50	
9J3	Pedotti	22.10	43.45	21.35	
Lagoon	Creek Pedestrian Bridge	19.25			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **13.71**  
**SS4/9P2 Gradient**                      **3.61**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

10/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	37.25	83.42	46.17	
<b>SR4*</b>	<b>CCCD Production</b>	<b>33.94</b>	82.00	<b>48.06</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.19</b>	54.30	<b>35.11</b>	
<b>SR1</b>	<b>CCSD</b>	17.57	46.40	28.83	
21R3	County Parks	8.78	12.88	4.10	Meter Read (CF): 49390
WBE	Windsor Bridge East	12.40	16.87	4.47	
WBW	Windsor Bridge West	12.76	17.02	4.26	

**SR4**                      **48.06**  
AVG SR1 & SR3                      31.97

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.68	11.36	4.68	
MW4	Monitoring at Lagoon Entrance	11.04	15.95	4.91	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	11.01	19.11	8.10	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	17.28	27.33	10.05	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	15.31	25.92	10.61	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>17.35</b>	33.73	<b>16.38</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>16.58</b>	33.16	<b>16.47</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 16.58 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>15.81</b>	32.37	<b>16.56</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	24.49	98.20	73.71	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	26.87	55.21	28.34	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	18.86			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **16.47**  
**SS4/9P2 Gradient**                      **2.51**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

10/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	37.10	83.42	46.32	
<b>SR4*</b>	<b>CCCD Production</b>	<b>33.86</b>	82.00	<b>48.14</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.28</b>	54.30	<b>35.02</b>	
<b>SR1</b>	<b>CCSD</b>	17.57	46.40	28.83	
21R3	County Parks	8.82	12.88	4.06	Meter Read (CF): 49293
WBE	Windsor Bridge East	12.44	16.87	4.43	
WBW	Windsor Bridge West	12.77	17.02	4.25	

**SR4**                    **48.14**  
AVG SR1 & SR3                    31.93

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	7.06	11.36	4.30	
MW4	Monitoring at Lagoon Entrance	11.36	15.95	4.59	
MW1	Monitoring at Blowers	15.30	42.11	26.81	
MW2	Monitoring at Influent	14.50	38.10	23.60	
MW3	Monitoring at Pond Gate	19.89	49.56	29.67	
9M1	Warren's Van Gordon Creek	34.09	65.63	31.54	
9P2	Gradient Monitoring	11.00	19.11	8.11	
9P7	WRF Intake	11.37	20.69	9.32	
9L1	Abandoned Irrigation	17.03	27.33	10.30	
RIW	WRF Injection Well	13.05	25.41	12.36	
<b>SS4</b>	<b>CCCD</b>	15.20	25.92	10.72	
MIW	WRF Injection Monitoring	13.76	29.89	16.13	
<b>SS3*</b>	<b>CCSD Production</b>	<b>16.93</b>	33.73	<b>16.80</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>16.13</b>	33.16	<b>16.92</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 16.13 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>15.33</b>	32.37	<b>17.04</b>	
11B1	Pedotti	29.07	105.43	76.36	
11C1	Pedotti	22.99	98.20	75.21	
PFNW	Palmer Flats	19.78	93.22	73.44	
10A1	Pedotti's Recorder	29.09	78.18	49.09	
10G2	New Rock Plant	21.31	62.95	41.64	
10G1	Old Rock Plant	19.60	59.55	39.95	
10F2	Warren	27.95	66.92	38.97	
10M2	Pedotti	26.25	55.21	28.96	
9J3	Pedotti	18.56	43.45	24.89	
Lagoon	Creek Pedestrian Bridge	19.35			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                    **16.92**  
**SS4/9P2 Gradient**                    **2.61**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

9/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	38.20	83.42	45.22	
<b>SR4*</b>	<b>CCCD Production</b>	<b>34.24</b>	82.00	<b>47.76</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.13</b>	54.30	<b>35.17</b>	
<b>SR1</b>	<b>CCSD</b>	17.49	46.40	28.91	
21R3	County Parks	8.73	12.88	4.15	Meter Read (CF): 49293
WBE	Windsor Bridge East	12.31	16.87	4.56	
WBW	Windsor Bridge West	12.70	17.02	4.32	

**SR4**                      **47.76**  
 AVG SR1 & SR3                      32.04

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	7.28	11.36	4.08	
MW4	Monitoring at Lagoon Entrance	11.56	15.95	4.39	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	11.09	19.11	8.02	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	16.99	27.33	10.34	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	15.15	25.92	10.77	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>17.27</b>	33.73	<b>16.46</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>16.46</b>	33.16	<b>16.59</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1. 16.46 is not accurate.
<b>SS1*</b>	<b>CCSD Production</b>	<b>15.65</b>	32.37	<b>16.72</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	21.85	98.20	76.35	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	25.20	55.21	30.01	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	19.58			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **16.59**  
**SS4/9P2 Gradient**                      **2.75**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

9/3/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	37.10	83.42	46.32	
<b>SR4*</b>	<b>CCCD Production</b>	<b>33.90</b>	82.00	<b>48.10</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.16</b>	54.30	<b>35.14</b>	
<b>SR1</b>	<b>CCSD</b>	17.51	46.40	28.89	
21R3	County Parks	8.76	12.88	4.12	Meter Read (CF): 49196
WBE	Windsor Bridge East	12.33	16.87	4.54	
WBW	Windsor Bridge West	12.72	17.02	4.30	

**SR4**                      **48.10**  
AVG SR1 & SR3                      32.02

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	7.26	11.36	4.10	
MW4	Monitoring at Lagoon Entrance	11.51	15.95	4.44	
MW1	Monitoring at Blowers	14.39	42.11	27.72	
MW2	Monitoring at Influent	14.57	38.10	23.53	
MW3	Monitoring at Pond Gate	18.60	49.56	30.96	
9M1	Warren's Van Gordon Creek	31.38	65.63	34.25	
9P2	Gradient Monitoring	10.77	19.11	8.34	
9P7	WRF Intake	11.20	20.69	9.49	
9L1	Abandoned Irrigation	16.39	27.33	10.94	
RIW	WRF Injection Well	12.40	25.41	13.01	
<b>SS4</b>	<b>CCCD</b>	14.85	25.92	11.07	
MIW	WRF Injection Monitoring	13.00	29.89	16.89	
<b>SS3*</b>	<b>CCSD Production</b>	<b>16.03</b>	33.73	<b>17.70</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>15.14</b>	33.16	<b>17.92</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1 (15.14 Not Accurate)
<b>SS1*</b>	<b>CCSD Production</b>	<b>14.24</b>	32.37	<b>18.13</b>	
11B1	Pedotti	25.64	105.43	79.79	
11C1	Pedotti	19.78	98.20	78.42	
PFNW	Palmer Flats	17.20	93.22	76.02	
10A1	Pedotti's Recorder	26.91	78.18	51.27	
10G2	New Rock Plant	19.84	62.95	43.11	
10G1	Old Rock Plant	18.15	59.55	41.40	
10F2	Warren	26.49	66.92	40.43	
10M2	Pedotti	24.36	55.21	30.85	
9J3	Pedotti	16.98	43.45	26.47	
Lagoon	Creek Pedestrian Bridge	19.65			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **17.92**  
**SS4/9P2 Gradient**                      **2.73**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015



## CAMBRIA COMMUNITY SERVICES WELL LEVELS

8/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	32.66	83.42	50.76	
<b>SR4*</b>	<b>CCCD Production</b>	<b>29.86</b>	82.00	<b>52.14</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.10</b>	54.30	<b>35.20</b>	
<b>SR1</b>	<b>CCSD</b>	17.36	46.40	29.04	
21R3	County Parks	8.54	12.88	4.34	Meter Read (CF): 49076
WBE	Windsor Bridge East	12.30	16.87	4.57	
WBW	Windsor Bridge West	12.58	17.02	4.44	

**SR4**                      **52.14**  
AVG SR1 & SR3                      32.12

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	7.38	11.36	3.98	
MW4	Monitoring at Lagoon Entrance	11.61	15.95	4.34	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	10.99	19.11	8.12	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	17.33	27.33	10.00	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	15.26	25.92	10.66	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>17.38</b>	33.73	<b>16.35</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>16.44</b>	33.16	<b>16.61</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1 (16.44 Not Accurate)
<b>SS1*</b>	<b>CCSD Production</b>	<b>15.50</b>	32.37	<b>16.87</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	16.89	98.20	81.31	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	23.60	55.21	31.61	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	19.79			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **16.61**  
**SS4/9P2 Gradient**                      **2.54**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

8/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	33.91	83.42	49.51	
<b>SR4*</b>	<b>CCCD Production</b>	<b>31.07</b>	82.00	<b>50.93</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.29</b>	54.30	<b>35.01</b>	
<b>SR1</b>	<b>CCSD</b>	17.48	46.40	28.92	
21R3	County Parks	8.51	12.88	4.37	Meter Read (CF): 48990
WBE	Windsor Bridge East	12.06	16.87	4.81	
WBW	Windsor Bridge West	12.58	17.02	4.44	

**SR4**                      **50.93**  
AVG SR1 & SR3                      31.97

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	7.24	11.36	4.12	
MW4	Monitoring at Lagoon Entrance	11.48	15.95	4.47	
MW1	Monitoring at Blowers	13.30	42.11	28.81	
MW2	Monitoring at Influent	13.33	38.10	24.77	
MW3	Monitoring at Pond Gate	17.21	49.56	32.35	
9M1	Warren's Van Gordon Creek	26.08	65.63	39.55	
9P2	Gradient Monitoring	10.72	19.11	8.39	
9P7	WRF Intake	10.87	20.69	9.82	
9L1	Abandoned Irrigation	16.42	27.33	10.91	
RIW	WRF Injection Well	12.41	25.41	13.00	
<b>SS4</b>	<b>CCCD</b>	14.83	25.92	11.09	
MIW	WRF Injection Monitoring	12.97	29.89	16.92	
<b>SS3*</b>	<b>CCSD Production</b>	<b>15.95</b>	33.73	<b>17.78</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>14.94</b>	33.16	<b>18.11</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1 (14.94 Not Accurate)
<b>SS1*</b>	<b>CCSD Production</b>	<b>13.94</b>	32.37	<b>18.43</b>	
11B1	Pedotti	20.50	105.43	84.93	
11C1	Pedotti	15.51	98.20	82.69	
PFNW	Palmer Flats	13.67	93.22	79.55	
10A1	Pedotti's Recorder	26.76	78.18	51.42	
10G2	New Rock Plant	19.36	62.95	43.59	
10G1	Old Rock Plant	17.74	59.55	41.81	
10F2	Warren	25.69	66.92	41.23	
10M2	Pedotti	23.79	55.21	31.42	
9J3	Pedotti	15.99	43.45	27.46	
Lagoon	Creek Pedestrian Bridge	19.60			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **18.11**  
**SS4/9P2 Gradient**                      **2.70**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

7/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	33.84	83.42	49.58	
<b>SR4*</b>	<b>CCCD Production</b>	<b>31.11</b>	82.00	<b>50.89</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.00</b>	54.30	<b>35.30</b>	
<b>SR1</b>	<b>CCSD</b>	17.24	46.40	29.16	
21R3	County Parks	8.31	12.88	4.57	Meter Read (CF): 48874
WBE	Windsor Bridge East	11.88	16.87	4.99	
WBW	Windsor Bridge West	12.32	17.02	4.70	

**SR4**                      **50.89**  
AVG SR1 & SR3                      32.23

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.84	11.36	4.52	
MW4	Monitoring at Lagoon Entrance	11.10	15.95	4.85	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	10.44	19.11	8.67	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	15.95	27.33	11.38	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	14.55	25.92	11.37	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>15.25</b>	33.73	<b>18.48</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>14.31</b>	33.16	<b>18.74</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1 (14.31 Not Accurate)
<b>SS1*</b>	<b>CCSD Production</b>	<b>13.37</b>	32.37	<b>19.00</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	14.53	98.20	83.67	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	23.33	55.21	31.88	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	19.02			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **18.74**  
**SS4/9P2 Gradient**                      **2.70**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

7/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	34.97	83.42	48.45	
<b>SR4*</b>	<b>CCCD Production</b>	<b>31.95</b>	82.00	<b>50.05</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>19.00</b>	54.30	<b>35.30</b>	
<b>SR1</b>	<b>CCSD</b>	17.20	46.40	29.20	
21R3	County Parks	8.12	12.88	4.76	Meter Read (CF): 48755
WBE	Windsor Bridge East	11.71	16.87	5.16	
WBW	Windsor Bridge West	12.26	17.02	4.76	

**SR4**                      **50.05**  
AVG SR1 & SR3                      32.25

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.47	11.36	4.89	
MW4	Monitoring at Lagoon Entrance	10.71	15.95	5.24	
MW1	Monitoring at Blowers	12.57	42.11	29.54	
MW2	Monitoring at Influent	12.96	38.10	25.14	
MW3	Monitoring at Pond Gate	16.40	49.56	33.16	
9M1	Warren's Van Gordon Creek	20.82	65.63	44.81	
9P2	Gradient Monitoring	10.31	19.11	8.80	
9P7	WRF Intake	10.64	20.69	10.05	
9L1	Abandoned Irrigation	15.59	27.33	11.74	
RIW	WRF Injection Well	11.57	25.41	13.84	
<b>SS4</b>	<b>CCCD</b>	14.32	25.92	11.60	
MIW	WRF Injection Monitoring	11.88	29.89	18.01	
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.55</b>	33.73	<b>19.18</b>	14.82 New Location
<b>SS2*</b>	<b>CCSD Production</b>	<b>7.74</b>	33.16	<b>19.55</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1 (7.74 Not Accurate)
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.45</b>	32.37	<b>19.92</b>	
11B1	Pedotti	18.71	105.43	86.72	
11C1	Pedotti	13.88	98.20	84.32	
PFNW	Palmer Flats	12.90	93.22	80.32	
10A1	Pedotti's Recorder	25.77	78.18	52.41	
10G2	New Rock Plant	19.01	62.95	43.94	
10G1	Old Rock Plant	17.20	59.55	42.35	
10F2	Warren	25.20	66.92	41.72	
10M2	Pedotti	22.40	55.21	32.81	
9J3	Pedotti	15.56	43.45	27.89	
Lagoon	Creek Pedestrian Bridge	18.60			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **19.55**  
**SS4/9P2 Gradient**                      **2.80**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

6/17/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	35.47	83.42	47.95	
<b>SR4*</b>	<b>CCCD Production</b>	<b>32.65</b>	82.00	<b>49.35</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.90</b>	54.30	<b>35.40</b>	
<b>SR1</b>	<b>CCSD</b>	17.11	46.40	29.29	
21R3	County Parks	7.94	12.88	4.94	Meter Read (CF): 48619
WBE	Windsor Bridge East	11.60	16.87	5.27	
WBW	Windsor Bridge West	12.09	17.02	4.93	

**SR4**                      **49.35**  
 AVG SR1 & SR3                      32.35

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	5.72	11.36	5.64	
MW4	Monitoring at Lagoon Entrance	10.05	15.95	5.90	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gordon Creek		65.63		
9P2	Gradient Monitoring	10.10	19.11	9.01	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	15.44	27.33	11.89	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	14.23	25.92	11.69	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.14</b>	33.73	<b>19.59</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>13.41</b>	33.16	<b>19.64</b>	Unable to accurately read SS2. Depth AMSL calculated as an average of SS3 & SS1
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.69</b>	32.37	<b>19.68</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	13.70	98.20	84.50	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	23.12	55.21	32.09	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	17.98			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **19.64**  
**SS4/9P2 Gradient**                      **2.68**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

6/3/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	34.50	83.42	48.92	
<b>SR4*</b>	<b>CCCD Production</b>	<b>31.61</b>	82.00	<b>50.39</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.87</b>	54.30	<b>35.43</b>	
<b>SR1</b>	<b>CCSD</b>	17.17	46.40	29.23	
21R3	County Parks	8.48	12.88	4.40	Meter Read (CF): 48494
WBE	Windsor Bridge East	11.99	16.87	4.88	
WBW	Windsor Bridge West	12.47	17.02	4.55	

**SR4**                    **50.39**  
AVG SR1 & SR3            32.33

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.70	11.36	4.66	
MW4	Monitoring at Lagoon Entrance	10.86	15.95	5.09	
MW1	Monitoring at Blowers	11.65	42.11	30.46	
MW2	Monitoring at Influent	12.39	38.10	25.71	
MW3	Monitoring at Pond Gate	15.78	49.56	33.78	
9M1	Warren's Van Gorden Creek	22.33	65.63	43.30	
9P2	Gradient Monitoring	10.23	19.11	8.88	
9P7	WRF Intake	10.40	20.69	10.29	
9L1	Abandoned Irrigation	15.41	27.33	11.92	
RIW	WRF Injection Well	11.34	25.41	14.07	
<b>SS4</b>	<b>CCCD</b>	14.21	25.92	11.71	
MIW	WRF Injection Monitoring	11.62	29.89	18.27	
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.30</b>	33.73	<b>19.43</b>	
<b>SS2*</b>	<b>CCSD Production</b>		33.16	<b>19.60</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.60</b>	32.37	<b>19.77</b>	
11B1	Pedotti	18.47	105.43	86.96	
11C1	Pedotti	13.57	98.20	84.63	
PFNW	Palmer Flats	12.62	93.22	80.60	
10A1	Pedotti's Recorder	25.55	78.18	52.63	
10G2	New Rock Plant	18.82	62.95	44.13	
10G1	Old Rock Plant	17.05	59.55	42.50	
10F2	Warren	25.08	66.92	41.84	
10M2	Pedotti	22.78	55.21	32.43	
9J3	Pedotti	15.36	43.45	28.09	
Lagoon	Creek Pedestrian Bridge	19.15			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                    **19.60**  
**SS4/9P2 Gradient**                    **2.83**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

5/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	33.25	83.42	50.17	
<b>SR4*</b>	<b>CCCD Production</b>	<b>30.37</b>	82.00	<b>51.63</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.76</b>	54.30	<b>35.54</b>	
<b>SR1</b>	<b>CCSD</b>	17.07	46.40	29.33	
21R3	County Parks	8.37	12.88	4.51	Meter Read (CF): 48344
WBE	Windsor Bridge East	11.91	16.87	4.96	
WBW	Windsor Bridge West	12.38	17.02	4.64	

**SR4**                      **51.63**  
AVG SR1 & SR3                      32.44

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gordon Creek Bridge	6.90	11.36	4.46	
MW4	Monitoring at Lagoon Entrance	10.92	15.95	5.03	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gorden Creek		65.63		
9P2	Gradient Monitoring	10.18	19.11	8.93	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	15.49	27.33	11.84	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	14.20	25.92	11.72	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.56</b>	33.73	<b>19.17</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>5.50</b>	33.16	<b>19.41</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.72</b>	32.37	<b>19.65</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	13.44	98.20	84.76	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	23.22	55.21	31.99	Oil
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	18.91			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **19.41**  
**SS4/9P2 Gradient**                      **2.79**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

5/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	31.00	83.42	52.42	Running
<b>SR4*</b>	<b>CCCD Production</b>	<b>28.21</b>	82.00	<b>53.79</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.64</b>	54.30	<b>35.66</b>	
<b>SR1</b>	<b>CCSD</b>	16.89	46.40	29.51	
21R3	County Parks	8.24	12.88	4.64	Meter Read (CF): 48210
WBE	Windsor Bridge East	11.72	16.87	5.15	
WBW	Windsor Bridge West	12.25	17.02	4.77	

**SR4**                      **53.79**  
AVG SR1 & SR3                      32.59

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	6.46	11.36	4.90	
MW4	Monitoring at Lagoon Entrance	10.56	15.95	5.39	
MW1	Monitoring at Blowers	9.64	42.11	32.47	
MW2	Monitoring at Influent	11.40	38.10	26.70	
MW3	Monitoring at Pond Gate	14.72	49.56	34.84	
9M1	Warren's Van Gorden Creek	19.60	65.63	46.03	
9P2	Gradient Monitoring	9.97	19.11	9.14	
9P7	WRF Intake	10.02	20.69	10.67	
9L1	Abandoned Irrigation	15.30	27.33	12.03	
RIW	WRF Injection Well	11.26	25.41	14.15	
<b>SS4</b>	<b>CCCD</b>	14.03	25.92	11.89	
MIW	WRF Injection Monitoring	11.65	29.89	18.24	
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.33</b>	33.73	<b>19.40</b>	
<b>SS2*</b>	<b>CCSD Production</b>		33.16	<b>19.64</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.50</b>	32.37	<b>19.87</b>	
11B1	Pedotti	18.06	105.43	87.37	
11C1	Pedotti	13.12	98.20	85.08	
PFNW	Palmer Flats	12.34	93.22	80.88	
10A1	Pedotti's Recorder	25.29	78.18	52.89	
10G2	New Rock Plant	18.73	62.95	44.22	
10G1	Old Rock Plant	16.96	59.55	42.59	
10F2	Warren	24.96	66.92	41.96	
10M2	Pedotti	22.21	55.21	33.00	Oil
9J3	Pedotti	15.16	43.45	28.29	
Lagoon	Creek Pedestrian Bridge	18.95			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **19.64**  
**SS4/9P2 Gradient**                      **2.75**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015



## CAMBRIA COMMUNITY SERVICES WELL LEVELS

4/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	28.59	83.42	54.83	
<b>SR4*</b>	<b>CCCD Production</b>	<b>26.12</b>	82.00	<b>55.88</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>17.56</b>	54.30	<b>36.74</b>	
<b>SR1</b>	<b>CCSD</b>	15.69	46.40	30.71	
21R3	County Parks	7.57	12.88	5.31	Meter Read (CF): 48082
WBE	Windsor Bridge East	11.11	16.87	5.76	
WBW	Windsor Bridge West	11.60	17.02	5.42	

**SR4**                      **55.88**  
AVG SR1 & SR3                      33.73

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	6.25	11.36	5.11	
MW4	Monitoring at Lagoon Entrance	10.11	15.95	5.84	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gorden Creek		65.63		
9P2	Gradient Monitoring	8.74	19.11	10.37	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	14.08	27.33	13.25	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	12.85	25.92	13.07	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>12.99</b>	33.73	<b>20.74</b>	
<b>SS2*</b>	<b>CCSD Production</b>		33.16	<b>20.90</b>	Unable to read SS2. Depth AMSL calculated as an average of SS3 & SS1
<b>SS1*</b>	<b>CCSD Production</b>	<b>11.32</b>	32.37	<b>21.05</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	11.98	98.20	86.22	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	21.00	55.21	34.21	Oil
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	19.29			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **20.90**  
**SS4/9P2 Gradient**                      **2.70**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

4/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	28.82	83.42	54.60	
<b>SR4*</b>	<b>CCCD Production</b>	<b>26.19</b>	82.00	<b>55.81</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.02</b>	54.30	<b>36.28</b>	
<b>SR1</b>	<b>CCSD</b>	16.03	46.40	30.37	
21R3	County Parks	7.55	12.88	5.33	Meter Read (CF): 48032
WBE	Windsor Bridge East	11.05	16.87	5.82	
WBW	Windsor Bridge West	11.65	17.02	5.37	

**SR4**                      **55.81**  
AVG SR1 & SR3                      33.33

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	6.43	11.36	4.93	
MW4	Monitoring at Lagoon Entrance	10.20	15.95	5.75	
MW1	Monitoring at Blowers	8.95	42.11	33.16	
MW2	Monitoring at Influent	10.88	38.10	27.22	
MW3	Monitoring at Pond Gate	13.11	49.56	36.45	
9M1	Warren's Van Gorden Creek	15.75	65.63	49.88	
9P2	Gradient Monitoring	8.70	19.11	10.41	
9P7	WRF Intake	9.82	20.69	10.87	
9L1	Abandoned Irrigation	14.32	27.33	13.01	
RIW	WRF Injection Well	10.19	25.41	15.22	
<b>SS4</b>	<b>CCCD</b>	13.00	25.92	12.92	
MIW	WRF Injection Monitoring	10.50	29.89	19.39	
<b>SS3*</b>	<b>CCSD Production</b>	<b>13.16</b>	33.73	<b>20.57</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>11.91</b>	33.16	<b>21.25</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>11.45</b>	32.37	<b>20.92</b>	
11B1	Pedotti	17.05	105.43	88.38	
11C1	Pedotti	12.12	98.20	86.08	
PFNW	Palmer Flats	11.37	93.22	81.85	
10A1	Pedotti's Recorder	23.39	78.18	54.79	
10G2	New Rock Plant	17.84	62.95	45.11	
10G1	Old Rock Plant	16.16	59.55	43.39	
10F2	Warren	24.05	66.92	42.87	
10M2	Pedotti	21.17	55.21	34.04	
9J3	Pedotti	14.22	43.45	29.23	
Lagoon	Creek Pedestrian Bridge	19.52			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **20.91**  
**SS4/9P2 Gradient**                      **2.51**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

3/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	29.06	83.42	54.36	
<b>SR4*</b>	<b>CCCD Production</b>	<b>26.64</b>	82.00	<b>55.36</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.55</b>	54.30	<b>35.75</b>	
<b>SR1</b>	<b>CCSD</b>	16.67	46.40	29.73	
21R3	County Parks	7.37	12.88	5.51	Meter Read (CF): 48,032
WBE	Windsor Bridge East	10.92	16.87	5.95	
WBW	Windsor Bridge West	11.51	17.02	5.51	

**SR4**                      **55.36**  
AVG SR1 & SR3                      32.74

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	6.81	11.36	4.55	
MW4	Monitoring at Lagoon Entrance	10.75	15.95	5.20	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gorden Creek		65.63		
9P2	Gradient Monitoring	9.61	19.11	9.50	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	15.24	27.33	12.09	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	13.90	25.92	12.02	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.36</b>	33.73	<b>19.37</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>13.10</b>	33.16	<b>20.06</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.48</b>	32.37	<b>19.89</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	12.72	98.20	85.48	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	21.86	55.21	33.35	Oil
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	19.65			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **19.77**  
**SS4/9P2 Gradient**                      **2.52**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

3/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	28.66	83.42	54.76	
<b>SR4*</b>	<b>CCCD Production</b>	<b>26.02</b>	82.00	<b>55.98</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>17.92</b>	54.30	<b>36.38</b>	
<b>SR1</b>	<b>CCSD</b>	16.03	46.40	30.37	
21R3	County Parks	6.60	12.88	6.28	Meter Read (CF): 47,968
WBE	Windsor Bridge East	10.10	16.87	6.77	
WBW	Windsor Bridge West	10.69	17.02	6.33	

**SR4**                      **55.98**  
AVG SR1 & SR3                      33.38

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	5.02	11.36	6.34	
MW4	Monitoring at Lagoon Entrance	9.35	15.95	6.60	
MW1	Monitoring at Blowers	6.90	42.11	35.21	
MW2	Monitoring at Influent	8.74	38.10	29.36	
MW3	Monitoring at Pond Gate	12.83	49.56	36.73	
9M1	Warren's Van Gorden Creek	12.76	65.63	52.87	
9P2	Gradient Monitoring	8.89	19.11	10.22	
9P7	WRF Intake	9.13	20.69	11.56	
9L1	Abandoned Irrigation	13.70	27.33	13.63	
RIW	WRF Injection Well	9.89	25.41	15.52	
<b>SS4</b>	<b>CCCD</b>	12.84	25.92	13.08	
MIW	WRF Injection Monitoring	10.45	29.89	19.44	
<b>SS3*</b>	<b>CCSD Production</b>	<b>13.07</b>	33.73	<b>20.66</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>11.62</b>	33.16	<b>21.54</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>10.81</b>	32.37	<b>21.56</b>	
11B1	Pedotti	16.86	105.43	88.57	
11C1	Pedotti	11.34	98.20	86.86	
PFNW	Palmer Flats	10.92	93.22	82.30	
10A1	Pedotti's Recorder	24.59	78.18	53.59	
10G2	New Rock Plant	17.41	62.95	45.54	
10G1	Old Rock Plant	15.70	59.55	43.85	
10F2	Warren	23.90	66.92	43.02	
10M2	Pedotti	20.57	55.21	34.64	Oil
9J3	Pedotti	13.77	43.45	29.68	
Lagoon	Creek Pedestrian Bridge	17.17			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **21.25**  
**SS4/9P2 Gradient**                      **2.86**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

2/15/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	29.11	83.42	54.31	
<b>SR4*</b>	<b>CCCD Production</b>	<b>26.44</b>	82.00	<b>55.56</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>17.98</b>	54.30	<b>36.32</b>	
<b>SR1</b>	<b>CCSD</b>	16.18	46.40	30.22	
21R3	County Parks	7.17	12.88	5.71	Meter Read (CF): 47,965
WBE	Windsor Bridge East	10.78	16.87	6.09	
WBW	Windsor Bridge West	11.34	17.02	5.68	

**SR4**                      **55.56**  
AVG SR1 & SR3                      33.27

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	6.27	11.36	5.09	
MW4	Monitoring at Lagoon Entrance	10.32	15.95	5.63	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gorden Creek		65.63		
9P2	Gradient Monitoring	9.00	19.11	10.11	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	14.46	27.33	12.87	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	13.30	25.92	12.62	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>13.50</b>	33.73	<b>20.23</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>11.98</b>	33.16	<b>21.18</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>11.51</b>	32.37	<b>20.86</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	12.12	98.20	86.08	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	21.27	55.21	33.94	
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	19.53			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **20.76**  
**SS4/9P2 Gradient**                      **2.51**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

2/1/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	27.30	83.42	56.12	
<b>SR4*</b>	<b>CCCD Production</b>	<b>24.65</b>	82.00	<b>57.35</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>15.50</b>	54.30	<b>38.80</b>	
<b>SR1</b>	<b>CCSD</b>	13.47	46.40	32.93	
21R3	County Parks	6.02	12.88	6.86	Meter Read (CF): 47,965
WBE	Windsor Bridge East	9.58	16.87	7.29	
WBW	Windsor Bridge West	10.27	17.02	6.75	

**SR4**                      **57.35**  
AVG SR1 & SR3                      35.87

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	5.95	11.36	5.41	
MW4	Monitoring at Lagoon Entrance	10.14	15.95	5.81	
MW1	Monitoring at Blowers	7.80	42.11	34.31	
MW2	Monitoring at Influent	8.56	38.10	29.54	
MW3	Monitoring at Pond Gate	8.66	49.56	40.90	
9M1	Warren's Van Gorden Creek	17.90	65.63	47.73	
9P2	Gradient Monitoring	9.14	19.11	9.97	
9P7	WRF Intake	10.37	20.69	10.32	
9L1	Abandoned Irrigation	12.81	27.33	14.52	
RIW	WRF Injection Well	8.93	25.41	16.48	
<b>SS4</b>	<b>CCCD</b>	12.63	25.92	13.29	
MIW	WRF Injection Monitoring	9.27	29.89	20.62	
<b>SS3*</b>	<b>CCSD Production</b>	<b>12.08</b>	33.73	<b>21.65</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>10.93</b>	33.16	<b>22.23</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>10.57</b>	32.37	<b>21.80</b>	
11B1	Pedotti	16.61	105.43	88.82	
11C1	Pedotti	11.50	98.20	86.70	
PFNW	Palmer Flats	10.38	93.22	82.84	
10A1	Pedotti's Recorder	24.44	78.18	53.74	
10G2	New Rock Plant	17.37	62.95	45.58	
10G1	Old Rock Plant	15.55	59.55	44.00	
10F2	Warren	23.51	66.92	43.41	
10M2	Pedotti	20.39	55.21	34.82	Oil
9J3	Pedotti	13.58	43.45	29.87	
Lagoon	Creek Pedestrian Bridge	10.03			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **21.89**  
**SS4/9P2 Gradient**                      **3.32**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

1/16/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	30.20	83.42	53.22	
<b>SR4*</b>	<b>CCCD Production</b>	<b>27.50</b>	82.00	<b>54.50</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.92</b>	54.30	<b>35.38</b>	
<b>SR1</b>	<b>CCSD</b>	17.45	46.40	28.95	
21R3	County Parks	5.80	12.88	7.08	Meter Read (CF): 47,965
WBE	Windsor Bridge East	9.35	16.87	7.52	
WBW	Windsor Bridge West	9.65	17.02	7.37	

**SR4**                      **54.50**  
AVG SR1 & SR3                      32.17

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	7.20	11.36	4.16	
MW4	Monitoring at Lagoon Entrance	10.80	15.95	5.15	
MW1	Monitoring at Blowers		42.11		
MW2	Monitoring at Influent		38.10		
MW3	Monitoring at Pond Gate		49.56		
9M1	Warren's Van Gorden Creek		65.63		
9P2	Gradient Monitoring	10.05	19.11	9.06	
9P7	WRF Intake		20.69		
9L1	Abandoned Irrigation	15.55	27.33	11.78	
RIW	WRF Injection Well		25.41		
<b>SS4</b>	<b>CCCD</b>	16.30	25.92	9.62	
MIW	WRF Injection Monitoring		29.89		
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.80</b>	33.73	<b>18.93</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>13.81</b>	33.16	<b>19.35</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.82</b>	32.37	<b>19.55</b>	
11B1	Pedotti		105.43		
11C1	Pedotti	13.10	98.20	85.10	
PFNW	Palmer Flats		93.22		
10A1	Pedotti's Recorder		78.18		
10G2	New Rock Plant		62.95		
10G1	Old Rock Plant		59.55		
10F2	Warren		66.92		
10M2	Pedotti	23.22	55.21	31.99	Oil
9J3	Pedotti		43.45		
Lagoon	Creek Pedestrian Bridge	18.05			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **19.28**  
**SS4/9P2 Gradient**                      **0.56**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015

## CAMBRIA COMMUNITY SERVICES WELL LEVELS

1/2/2024

Well Read Date

### SANTA ROSA CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
23R	High School	30.05	83.42	53.37	
<b>SR4*</b>	<b>CCCD Production</b>	<b>27.40</b>	82.00	<b>54.60</b>	
<b>SR3</b>	<b>CCSD Production</b>	<b>18.78</b>	54.30	<b>35.52</b>	
<b>SR1</b>	<b>CCSD</b>	17.17	46.40	29.23	
21R3	County Parks	5.45	12.88	7.43	Meter Read (CF): 47,965
WBE	Windsor Bridge East	9.34	16.87	7.53	
WBW	Windsor Bridge West	9.64	17.02	7.38	

**SR4**                      **54.60**  
AVG SR1 & SR3                      32.38

### SAN SIMEON CREEK WELLS

Well Name	Well Description/Location	Distance to Water Level (ft)	Reference Point Elevation AMSL (ft)	Depth AMSL (ft)	Comments
16D1	Van Gorden Creek Bridge	7.18	11.36	4.18	
MW4	Monitoring at Lagoon Entrance	11.34	15.95	4.61	
MW1	Monitoring at Blowers	12.24	42.11	29.87	
MW2	Monitoring at Influent	13.03	38.10	25.07	
MW3	Monitoring at Pond Gate	17.73	49.56	31.83	
9M1	Warren's Van Gorden Creek	22.90	65.63	42.73	
9P2	Gradient Monitoring	9.32	19.11	9.79	
9P7	WRF Intake	11.09	20.69	9.60	
9L1	Abandoned Irrigation	14.94	27.33	12.39	
RIW	WRF Injection Well	10.95	25.41	14.46	
<b>SS4</b>	<b>CCCD</b>	13.79	25.92	12.13	
MIW	WRF Injection Monitoring	11.38	29.89	18.51	
<b>SS3*</b>	<b>CCSD Production</b>	<b>14.07</b>	33.73	<b>19.66</b>	
<b>SS2*</b>	<b>CCSD Production</b>	<b>12.62</b>	33.16	<b>20.54</b>	
<b>SS1*</b>	<b>CCSD Production</b>	<b>12.18</b>	32.37	<b>20.19</b>	
11B1	Pedotti	18.01	105.43	87.42	
11C1	Pedotti	12.77	98.20	85.43	
PFNW	Palmer Flats	12.20	93.22	81.02	
10A1	Pedotti's Recorder	25.26	78.18	52.92	
10G2	New Rock Plant	18.64	62.95	44.31	
10G1	Old Rock Plant	16.82	59.55	42.73	
10F2	Warren	24.75	66.92	42.17	
10M2	Pedotti	21.80	55.21	33.41	Oil
9J3	Pedotti	15.02	43.45	28.43	
Lagoon	Creek Pedestrian Bridge	19.80			Mitigation Erosion: None

**AVG S1, SS2 & SS3**                      **20.13**  
**SS4/9P2 Gradient**                      **2.34**

\*Above Mean Sea Level (AMSL)

\*CCSD's Production Wells

Reference point on 16D1, MIW1, MIW2, MIW3, 9P7, RIW, MIW1, SS1, SS2 and SS3 updated on 2/17/2015